

www.caissonlabs.com

## **CERTIFICATE OF ANALYSIS**

## **Phosphate Buffered Saline**

Catalog Number: PBP06

Storage: 15° to 30°C

Lot Number: 07200011

Manufacture Date: Jul-2020

MADE IN THE USA

Expiration Date: 31-Jul-2024

Test	<b>Specifications</b>	Results
Appearance	White Powder	Pass
Solubility in Water	9.57 g/L in ≤ 30 minutes	10 Minutes
Moisture Content	≤ 2 %	0.6 %
Particle Size	≥ 90 % through 100 Mesh	90 %
pH (measured at 25°C)	Record	7.10
Osmolality	Record mM/kg	306 mM/kg
Endotoxin	≤ 1.0 EU/mL	< 0.1 EU/ml
Endotoxin Testing was Performed	using the LAL Detection Method	
Mycoplasma	Negative	Negative
Mycoplasma Test was Performed using MycoAlert® Mycoplasma Detection Assay		
Animal Cell Culture		
Toxicity	1 Pass	Pass
Funtionality	≥ 80 %	91 %

This product was produced and tested in accordance with all relevant SOP's and meets or exceeds the quality standards established by Caisson Laboratories, Inc.

This product is intended for laboratory use only.

Prepared by:

Reviewed by:

**BSE/TSE** Declaration

Asigno Wright

To the present state of our knowledge we declare that this product does not contain any BSE/TSE AGENT. This declaration is given in good faith and no warranty express or implied with respect to

Alisha Wright QC Technician 21-Sep-2023

quality and properties is made.

836 South 100 East Smithfield, Utah 84335 Phone: 435-755-7615 FAX: 735-755-7617

Toll Free: 1-877-840-0500